



## Part Number: 377.0137.00

Optical Transceiver SFP SLx15 SDH ETH [Ext L16.2/2.48G]

[DD/DFB/A/OP:0/RP:-30/90~110km]

### PRODUCT DESCRIPTION

# 377.0137.00

Optical Transceiver SFP SLx15 SDH ETH [Ext L16.2/2.48G]  
[DD/DFB/A/OP:0/RP:-30/90~110km]

## FEATURES

SFP Optical Transceiver for 2.48G bps, with a typical range of 90 km.

Compatibilities:

IEEE Compatibility : NA

Datacom Compatibility: SLx15

ITU Compatibility: Ext L16.2

## OTHER FEATURES

Form Factor	SFP
Interface	Optical Transceiver
Conformities	SDH ETH
Fiber Type	Singlemode
Fiber Quantity	Two
Connector Type	LC
Digital Diagnostics	Yes
LOS	Yes
Tunable	No
MultiRate	Yes
W.D.M.*	
W.D.M. Channel *	
Bi-directional complementary part number *	
Typical range (km)	90
Extended range * (km)	110

*\* If applicable*

## OPERATIONAL CONDITIONS

PARAMETER	MINIMUM	TYPICAL	MAXIMUM	UNIT
Operating Temperature	0		70	°C
Overload			-8	dBm

## OPTICAL TRANSMISSION PARAMETERS

PARAMETER	MINIMUM	TYPICAL	MAXIMUM	UNIT
Transmission power	0		5	dBm
Extinction Ratio	8.2			dB
Wavelength		1550		nm
Spectral Width *			0.082	nm
Dispersion Tolerance *	2383			ps/nm
Laser		DFB		

## OPTICAL RECEPTION PARAMETERS

PARAMETER	MINIMUM	TYPICAL	MAXIMUM	UNIT
Wavelength		1550		nm
Sensitivity			-30	dBm
Overload			-8	dBm

## EYE SAFETY

This is a Class1 Laser Product.

# DATAKOM

Rua América, 1000 | 92990-000 | Eldorado do Sul | RS | Brasil

+55 51 3933 3000

[www.datakom.com.br](http://www.datakom.com.br)