



## Part Number: 377.0198.00

Optical Transceiver SFP MS13 SDH ETH [-/622M] [DD/FP/-/OP:-15/RP:-23/2km]

### PRODUCT DESCRIPTION

# 377.0198.00

Optical Transceiver SFP MS13 SDH ETH [-/622M] [DD/FP/-/OP:-15/RP:-23/2km]

## FEATURES

SFP Optical Transceiver for 622M bps, with a typical range of 2 km.

Compatibilities:

IEEE Compatibility : NA

Datacom Compatibility: MS13

ITU Compatibility:

## OTHER FEATURES

Form Factor	SFP
Interface	Optical Transceiver
Conformities	SDH ETH
Fiber Type	Multimode
Fiber Quantity	Two
Connector Type	LC
Digital Diagnostics	Yes
LOS	Yes
Tunable	No
MultiRate	No
W.D.M.*	
W.D.M. Channel *	
Bi-directional complementary part number *	
Typical range (km)	2
Extended range * (km)	

*\* If applicable*

## OPERATIONAL CONDITIONS

PARAMETER	MINIMUM	TYPICAL	MAXIMUM	UNIT
Operating Temperature	0		70	°C
Overload			-8	dBm

## OPTICAL TRANSMISSION PARAMETERS

PARAMETER	MINIMUM	TYPICAL	MAXIMUM	UNIT
Transmission power	-15		-8	dBm
Extinction Ratio	8.2			dB
Wavelength		1310		nm
Spectral Width *			5	nm
Dispersion Tolerance *				ps/nm
Laser		FP		

## OPTICAL RECEPTION PARAMETERS

PARAMETER	MINIMUM	TYPICAL	MAXIMUM	UNIT
Wavelength		1310		nm
Sensitivity			-23	dBm
Overload			-8	dBm

## EYE SAFETY

This is a Class1 Laser Product.

# DATAKOM

Rua América, 1000 | 92990-000 | Eldorado do Sul | RS | Brasil

+55 51 3933 3000

[www.datacom.com.br](http://www.datacom.com.br)