



Part Number: 377.0212.00

Optical Transceiver SFP SSB14 ETH [-/1.25G] [DD/DFB/-/OP:-9/RP:-21/10km]
85.C BX10-D

PRODUCT DESCRIPTION

377.0212.00

Optical Transceiver SFP SSB14 ETH [-/1.25G] [DD/DFB/-/OP:-9/RP:-21/10km]
85.C BX10-D

FEATURES

SFP Optical Transceiver for 1.25G bps, with a typical range of 10 km.

Compatibilities:

IEEE Compatibility : 1000BASE-BX10-D

Datacom Compatibility: SSB14

ITU Compatibility:

OTHER FEATURES

Form Factor	SFP
Interface	Optical Transceiver
Conformities	ETH
Fiber Type	Singlemode
Fiber Quantity	One
Connector Type	LC
Digital Diagnostics	Yes
LOS	Yes
Tunable	No
MultiRate	No
W.D.M.*	
W.D.M. Channel *	
Bi-directional complementary part number *	377.0211.00
Typical range (km)	10
Extended range * (km)	

** If applicable*

OPERATIONAL CONDITIONS

PARAMETER	MINIMUM	TYPICAL	MAXIMUM	UNIT
Operating Temperature	-40		85	°C
Overload			-3	dBm

OPTICAL TRANSMISSION PARAMETERS

PARAMETER	MINIMUM	TYPICAL	MAXIMUM	UNIT
Transmission power	-9		-3	dBm
Extinction Ratio	6			dB
Wavelength		1490		nm
Spectral Width *			0.88	nm
Dispersion Tolerance *				ps/nm
Laser		DFB		

OPTICAL RECEPTION PARAMETERS

PARAMETER	MINIMUM	TYPICAL	MAXIMUM	UNIT
Wavelength		1310		nm
Sensitivity			-21	dBm
Overload			-3	dBm

EYE SAFETY

This is a Class1 Laser Product.

DATAKOM

Rua América, 1000 | 92990-000 | Eldorado do Sul | RS | Brasil

+55 51 3933 3000

www.datacom.com.br