



## Part Number: 377.1418.10

Optical Transceiver QSFP28 ETH [-/100G] [DD/EML/-/OP:2/RP:-29/80km]  
100GBASE-ZR4

### PRODUCT DESCRIPTION

# 377.1418.10

Optical Transceiver QSFP28 ETH [-/100G] [DD/EML/-/OP:2/RP:-29/80km]  
100GBASE-ZR4

## FEATURES

QSFP28 Optical Transceiver for 100G bps, with a typical range of 80 km.

Compatibilities:

IEEE Compatibility : 100GBASE-ZR4

Datacom Compatibility:

ITU Compatibility:

## OTHER FEATURES

Form Factor	QSFP28
Interface	Optical Transceiver
Conformities	ETH
Fiber Type	Singlemode
Fiber Quantity	Two
Connector Type	LC
Digital Diagnostics	Yes
LOS	No
Tunable	No
MultiRate	No
W.D.M.*	
W.D.M. Channel *	
Bi-directional complementary part number *	
Typical range (km)	80
Extended range * (km)	

*\* If applicable*

## OPERATIONAL CONDITIONS

PARAMETER	MINIMUM	TYPICAL	MAXIMUM	UNIT
Operating Temperature	0		70	°C
Overload			4.5	dBm

## OPTICAL TRANSMISSION PARAMETERS

PARAMETER	MINIMUM	TYPICAL	MAXIMUM	UNIT
Transmission power	2		6.5	dBm
Extinction Ratio	8			dB
Wavelength		1295 / 1300 / 1304 / 1309		nm
Spectral Width *			1	nm
Dispersion Tolerance *				ps/nm
Laser		EML		

## OPTICAL RECEPTION PARAMETERS

PARAMETER	MINIMUM	TYPICAL	MAXIMUM	UNIT
Wavelength		1295 / 1300 / 1304 / 1309		nm
Sensitivity			-29	dBm
Overload			4.5	dBm

## EYE SAFETY

This is a Class1 Laser Product.

# DATACOM

Rua América, 1000 | 92990-000 | Eldorado do Sul | RS | Brasil  
+55 51 3933 3000  
[www.datacom.com.br](http://www.datacom.com.br)