



## Part Number: 377.1500.00

Optical Transceiver QSFP-DD ETH [-/100G] [DD/coherent/A/OP:-6/RP:-32/120km]

### PRODUCT DESCRIPTION

# 377.1500.00

Optical Transceiver QSFP-DD ETH [-/100G] [DD/coherent/A/OP:-6/RP:-32/120km]

## FEATURES

QSFP-DD Optical Transceiver for 100G bps, with a typical range of 120 km.

Compatibilities:

IEEE Compatibility : 100ZR-OFEC-DP QPSK

Datacom Compatibility:

ITU Compatibility:

## OTHER FEATURES

Form Factor	QSFP-DD
Interface	Optical Transceiver
Conformities	ETH
Fiber Type	Singlemode
Fiber Quantity	Two
Connector Type	LC
Digital Diagnostics	Yes
LOS	Yes
Tunable	Yes
MultiRate	No
W.D.M.*	
W.D.M. Channel *	
Bi-directional complementary part number *	
Typical range (km)	120
Extended range * (km)	450

*\* If applicable*

## OPERATIONAL CONDITIONS

PARAMETER	MINIMUM	TYPICAL	MAXIMUM	UNIT
Operating Temperature	0		70	°C
Overload			0	dBm

## OPTICAL TRANSMISSION PARAMETERS

PARAMETER	MINIMUM	TYPICAL	MAXIMUM	UNIT
Transmission power	-6		0	dBm
Extinction Ratio				dB
Wavelength		Tunable C-Band (50 & 100Ghz tunnable)		nm
Spectral Width *				nm
Dispersion Tolerance *	8600			ps/nm
Laser		Coherent		

## OPTICAL RECEPTION PARAMETERS

PARAMETER	MINIMUM	TYPICAL	MAXIMUM	UNIT
Wavelength		Tunable C-Band (50 & 100Ghz tunnable)		nm
Sensitivity			-32	dBm
Overload			0	dBm

## EYE SAFETY

This is a Class1 Laser Product.

# DATAKOM

Rua América, 1000 | 92990-000 | Eldorado do Sul | RS | Brasil  
+55 51 3933 3000  
[www.datakom.com.br](http://www.datakom.com.br)