



Part Number: 377.1503.00

Optical Transceiver QSFP-DD ETH [-/100G] [DD/coherent/A/OP:-7/RP:-32/110km]

PRODUCT DESCRIPTION

377.1503.00

Optical Transceiver QSFP-DD ETH [-/100G] [DD/coherent/A/OP:-7/RP:-32/110km]

FEATURES

QSFP-DD Optical Transceiver for 100G bps, with a typical range of 110 km.

Compatibilities:

IEEE Compatibility :

Datacom Compatibility:

ITU Compatibility:

OTHER FEATURES

Form Factor	QSFP-DD
Interface	Optical Transceiver
Conformities	ETH
Fiber Type	Singlemode
Fiber Quantity	Two
Connector Type	LC
Digital Diagnostics	Yes
LOS	Yes
Tunable	Yes
MultiRate	No
W.D.M.*	4WDM
W.D.M. Channel *	
Bi-directional complementary part number *	
Typical range (km)	110
Extended range * (km)	500

** If applicable*

OPERATIONAL CONDITIONS

PARAMETER	MINIMUM	TYPICAL	MAXIMUM	UNIT
Operating Temperature	0		75	°C
Overload			0	dBm

OPTICAL TRANSMISSION PARAMETERS

PARAMETER	MINIMUM	TYPICAL	MAXIMUM	UNIT
Transmission power	-7			dBm
Extinction Ratio				dB
Wavelength		Tunable C-Band (50 & 100Ghz tunnable)		nm
Spectral Width *				nm
Dispersion Tolerance *	10000			ps/nm
Laser		Coherent		

OPTICAL RECEPTION PARAMETERS

PARAMETER	MINIMUM	TYPICAL	MAXIMUM	UNIT
Wavelength		Tunable C-Band (50 & 100Ghz tunnable)		nm
Sensitivity			-32	dBm
Overload			0	dBm

EYE SAFETY

This is a Class1 Laser Product.

DATAKOM

Rua América, 1000 | 92990-000 | Eldorado do Sul | RS | Brasil
+55 51 3933 3000
www.datacom.com.br